## SECTION 12 10 00 Art

## PART 1 GENERAL

# 1.1 SECTION INCLUDES

A. Furnishing accessories.

# 1.2 RELATED SECTIONS

A. Section 06 10 00 - Rough Carpentry.

# 1.3 SUBMITTALS

- A. Submit under provisions of Section 01 30 00 Administrative Requirements.
- B. Product Data: Manufacturer's data sheets on each product to be used, including:
  - 1. Preparation instructions and recommendations.
  - 2. Storage and handling requirements and recommendations.
  - 3. Installation methods.
  - 4. Maintenance instructions
- C. Verification Samples: For each finish product specified sample, representing actual product and finish. Verification sample to be in 8"x10" size showing picture orientation & cropping if applicable. Physical sample to be limited to (1) physical sample at 50% quality for image verification and orientation only.

## 1.4 QUALITY ASSURANCE

- A. Manufacturer Qualifications: Minimum 5 year experience manufacturing similar products.
- B. Installer Qualifications: Minimum 2 year experience installing similar products.
- C. Mock-Up: Provide a mock-up for evaluation of surface preparation techniques and application workmanship if required
  - 1. Finish areas designated by Architect.
  - 2. Do not proceed with remaining work until workmanship is approved by Architect.
  - 3. Refinish mock-up area as required to produce acceptable work.

### 1.5 PRE-INSTALLATION MEETINGS

A. Convene minimum two weeks prior to starting work of this section.

### 1.6 DELIVERY, STORAGE, AND HANDLING

- A. Deliver and store products in manufacturer's unopened packaging bearing the brand name and manufacturer's identification until ready for installation.
- B. Handling: Handle materials to avoid damage. Ensure manufacturer packaging intact until ready for installation.

### 1.7 PROJECT CONDITIONS

A. Maintain environmental conditions (temperature, humidity, and ventilation) within limits recommended by manufacturer for optimum results. Do not install products under environmental conditions outside manufacturer's recommended limits.

## 1.8 SEQUENCING

A. Ensure that products of this section are supplied to affected trades in time to prevent interruption of construction progress.

# PART 2 PRODUCTS

# 2.1 MANUFACTURERS

- A. Acceptable Manufacturers: Artistic Images
- B. Substitutions: Not permitted.
- Requests for substitutions will be considered in accordance with provisions of Section 01 60 00 - Product Requirements but must meet performance and material requirements established with this section.

# 2.2 MATERIALS

A. Substrate: 0.045" (1mm) Gauge, double coated aluminum substrate for high-definition prints.

1. All substrates to be first rate quality and condition. "Shop Grade" or "Dot Materials" are not acceptable substrates. All panels to be "Gallery" quality and free from all defects.

B. Fabrication: Panels to be cut exclusively via CNC machine. No cutting or trimming permitted by panel saw or shears.

1) Quality Assurance: All panels to be cut via CNC machine process to ensure exact, true, and square

C. Image Transfer: Image transfer via dye sublimation on Espon F Series (F7200) with capacity to produce images ranging up to 48" x 96"

1) Ink: Exclusively Epson inks.

2) Heat Press: Heat press to be pneumatic variety capable of accommodating prints up to 48" x 96" by Triton.

a) Duration of heat press process to be ten (10) full minutes under 300 degrees to ensure maximum color and range transfer.

### 1.

# PART 3 EXECUTION

### 3.1 EXAMINATION

- A. Do not begin installation until substrates have been properly prepared.
- B. If substrate preparation is the responsibility of another installer, notify Architect of unsatisfactory preparation before proceeding.

### 3.2 PREPARATION

- A. Clean surfaces thoroughly prior to installation.
- B. Prepare surfaces using the methods recommended by the manufacturer for achieving the best result for the substrate under the project conditions.

### 3.3 INSTALLATION

A. Install in accordance with manufacturer's instructions and in proper relationship with adjacent construction.

# 3.4 PROTECTION

- A. Protect installed products until completion of project.
- B. Touch-up, repair or replace damaged products before Substantial Completion.

END OF SECTION

12 10 00 - Art